

2018 AP[®] COMPUTER SCIENCE A FREE-RESPONSE QUESTIONS

1. This question involves reasoning about a simulation of a frog hopping in a straight line. The frog attempts to hop to a goal within a specified number of hops. The simulation is encapsulated in the following `FrogSimulation` class. You will write two of the methods in this class.

```
public class FrogSimulation
{
    /** Distance, in inches, from the starting position to the goal. */
    private int goalDistance;

    /** Maximum number of hops allowed to reach the goal. */
    private int maxHops;

    /** Constructs a FrogSimulation where dist is the distance, in inches, from the starting
     * position to the goal, and numHops is the maximum number of hops allowed to reach the goal.
     * Precondition: dist > 0; numHops > 0
     */
    public FrogSimulation(int dist, int numHops)
    {
        goalDistance = dist;
        maxHops = numHops;
    }

    /** Returns an integer representing the distance, in inches, to be moved when the frog hops.
     */
    private int hopDistance()
    { /* implementation not shown */ }

    /** Simulates a frog attempting to reach the goal as described in part (a).
     * Returns true if the frog successfully reached or passed the goal during the simulation;
     * false otherwise.
     */
    public boolean simulate()
    { /* to be implemented in part (a) */ }

    /** Runs num simulations and returns the proportion of simulations in which the frog
     * successfully reached or passed the goal.
     * Precondition: num > 0
     */
    public double runSimulations(int num)
    { /* to be implemented in part (b) */ }
}
```

2018 AP[®] COMPUTER SCIENCE A FREE-RESPONSE QUESTIONS

- (a) Write the `simulate` method, which simulates the frog attempting to hop in a straight line to a goal from the frog's starting position of 0 within a maximum number of hops. The method returns `true` if the frog successfully reached the goal within the maximum number of hops; otherwise, the method returns `false`.

The `FrogSimulation` class provides a method called `hopDistance` that returns an integer representing the distance (positive or negative) to be moved when the frog hops. A positive distance represents a move toward the goal. A negative distance represents a move away from the goal. The returned distance may vary from call to call. Each time the frog hops, its position is adjusted by the value returned by a call to the `hopDistance` method.

The frog hops until one of the following conditions becomes true:

- The frog has reached or passed the goal.
- The frog has reached a negative position.
- The frog has taken the maximum number of hops without reaching the goal.

The following example shows a declaration of a `FrogSimulation` object for which the goal distance is 24 inches and the maximum number of hops is 5. The table shows some possible outcomes of calling the `simulate` method.

```
FrogSimulation sim = new FrogSimulation(24, 5);
```

	Values returned by <code>hopDistance()</code>	Final position of frog	Return value of <code>sim.simulate()</code>
Example 1	5, 7, -2, 8, 6	24	true
Example 2	6, 7, 6, 6	25	true
Example 3	6, -6, 31	31	true
Example 4	4, 2, -8	-2	false
Example 5	5, 4, 2, 4, 3	18	false

Class information for this question

```
public class FrogSimulation  
  
private int goalDistance  
private int maxHops  
  
private int hopDistance()  
public boolean simulate()  
public double runSimulations(int num)
```

2018 AP[®] COMPUTER SCIENCE A FREE-RESPONSE QUESTIONS

Complete method `simulate` below. You must use `hopDistance` appropriately to receive full credit.

```
/** Simulates a frog attempting to reach the goal as described in part (a).
 * Returns true if the frog successfully reached or passed the goal during the simulation;
 *         false otherwise.
 */
public boolean simulate()
```

2018 AP[®] COMPUTER SCIENCE A FREE-RESPONSE QUESTIONS

- (b) Write the `runSimulations` method, which performs a given number of simulations and returns the proportion of simulations in which the frog successfully reached or passed the goal. For example, if the parameter passed to `runSimulations` is 400, and 100 of the 400 `simulate` method calls returned `true`, then the `runSimulations` method should return 0.25.

Complete method `runSimulations` below. Assume that `simulate` works as specified, regardless of what you wrote in part (a). You must use `simulate` appropriately to receive full credit.

```
/** Runs num simulations and returns the proportion of simulations in which the frog
 * successfully reached or passed the goal.
 * Precondition: num > 0
 */
public double runSimulations(int num)
```